

EC-CERTIFICATE OF CONFORMITY

0809 - CPD – 0764

In compliance with Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (the Construction Products Directive or CPD), as later amended, it has been stated that the construction product

Electromechanically operated locks

used on fire/smoke or smoke compartmentation doors on escape routes

described in detail on page 2 - 5

placed on the market by

Abloy Oy

**Wahlforssinkatu 20
FI-80101 Joensuu**

and produced in the factory

Abloy Oy, FI-80101 Joensuu

are submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - No. 0809 - has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 14846:2008

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on October 2, 2012 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Espoo October 2, 2012



Lina Markelin-Rantala
Team Manager



Liisa Rautiainen
Assessment Manager

Product	Category of use	Durability and load on latchbolt	Door mass and closing force	Suitability for use on fire/smoke or smoke doors	Safety	Corrosion resistance, temperature and humidity	Security and drill resistance	Security electrical function	Security Electrical manipulation
	1	2	3	4	5	6	7	8	9
EL060	3	S	8	A	-	L	6	1	1
EL062	3	S	8	A	-	L	6	1	1
PE060	3	S	8	A	-	L	6	1	1
MD060	3	S	8	A	-	L	6	1	1
MD062	3	S	8	A	-	L	6	1	1
EL160	3	S	8	D	-	L	6	1	1
EL162	3	S	8	D	-	L	6	1	1
EL165	3	S	8	D	-	L	6	1	1
PE160	3	S	8	D	-	L	6	1	1
PE162	3	S	8	D	-	L	6	1	1
MD160	3	S	8	D	-	L	6	1	1
MD162	3	S	8	D	-	L	6	1	1
EL260	3	S	8	A	-	L	6	1	1
EL262	3	S	8	A	-	L	6	1	1
PE260	3	S	8	A	-	L	6	1	1
PE262	3	S	8	A	-	L	6	1	1
EL360	3	S	8	D	-	L	6	1	1
EL362	3	S	8	D	-	L	6	1	1
EL365	3	S	8	D	-	L	6	1	1
PE360	3	S	8	D	-	L	6	1	1
PE362	3	S	8	D	-	L	6	1	1

Product	Category of use	Durability and load on latchbolt	Door mass and closing force	Suitability for use on fire/smoke or smoke doors	Safety	Corrosion resistance, temperature and humidity	Security and drill resistance	Security electrical function	Security Electrical manipulation
	1	2	3	4	5	6	7	8	9
EL420	3	S	8	A	-	L	6	1	1
EL422	3	S	8	A	-	L	6	1	1
EL418	3	S	8	A	-	L	6	1	1
EL419	3	S	8	A	-	L	6	1	1
PE420	3	S	8	A	-	L	6	1	1
PE422	3	S	8	A	-	L	6	1	1
EL520	3	S	8	D	-	L	6	1	1
EL522	3	S	8	D	-	L	6	1	1
EL524	3	S	8	D	-	L	6	1	1
EL518	3	S	8	D	-	L	6	1	1
EL519	3	S	8	D	-	L	6	1	1
PE520	3	S	8	D	-	L	6	1	1
PE522	3	S	8	D	-	L	6	1	1
EL460	3	S	8	A	-	L	6	1	1
EL461	3	S	8	A	-	L	6	1	1
EL462	3	S	8	A	-	L	6	1	1
EL463	3	S	8	A	-	L	6	1	1
PE460	3	S	8	A	-	L	6	1	1
PE461	3	S	8	A	-	L	6	1	1
PE462	3	S	8	A	-	L	6	1	1
PE463	3	S	8	A	-	L	6	1	1

<i>Product</i>	<i>Category of use</i>	<i>Durability and load on latchbolt</i>	<i>Door mass and closing force</i>	<i>Suitability for use on fire/smoke or smoke doors</i>	<i>Safety</i>	<i>Corrosion resistance, temperature and humidity</i>	<i>Security and drill resistance</i>	<i>Security electrical function</i>	<i>Security Electrical manipulation</i>
	1	2	3	4	5	6	7	8	9
EL560	3	S	8	D	-	L	6	1	1
EL561	3	S	8	D	-	L	6	1	1
EL562	3	S	8	D	-	L	6	1	1
EL563	3	S	8	D	-	L	6	1	1
EL564	3	S	8	D	-	L	6	1	1
EL565	3	S	8	D	-	L	6	1	1
PE560	3	S	8	D	-	L	6	1	1
PE560	3	S	8	D	-	L	6	1	1
PE561	3	S	8	D	-	L	6	1	1
PE562	3	S	8	D	-	L	6	1	1
PE563	3	S	8	D	-	L	6	1	1
PE564	3	S	8	D	-	L	6	1	1
EL066	3	S	2	A	-	L	6	1	1
EL068	3	S	2	A	-	L	6	1	1
MD066	3	S	2	A	-	L	6	1	1
MD068	3	S	2	A	-	L	6	1	1
EL166	3	S	5	A	-	L	6	1	1
EL168	3	S	5	A	-	L	6	1	1
MP165	3	S	5	A	-	L	6	1	1
MD166	3	S	5	A	-	L	6	1	1
MD168	3	S	5	A	-	L	6	1	1

<i>Product</i>	<i>Category of use</i>	<i>Durability and load on latchbolt</i>	<i>Door mass and closing force</i>	<i>Suitability for use on fire/smoke or smoke doors</i>	<i>Safety</i>	<i>Corrosion resistance, temperature and humidity</i>	<i>Security and drill resistance</i>	<i>Security electrical function</i>	<i>Security Electrical manipulation</i>
	1	2	3	4	5	6	7	8	9
EL266	3	S	2	A	-	L	6	1	1
EL268	3	S	2	A	-	L	6	1	1
EL366	3	S	5	A	-	L	6	1	1
EL368	3	S	5	A	-	L	6	1	1
MP420	3	S	2	A	-	L	6	1	1
MP422	3	S	2	A	-	L	6	1	1
MP520	3	S	5	A	-	L	6	1	1
MP522	3	S	5	A	-	L	6	1	1
MP524	3	S	5	A	-	L	6	1	1
EL466	3	S	2	A	-	L	6	1	1
EL467	3	S	2	A	-	L	6	1	1
EL468	3	S	2	A	-	L	6	1	1
EL469	3	S	2	A	-	L	6	1	1
EL566	3	S	5	A	-	L	6	1	1
EL567	3	S	5	A	-	L	6	1	1
EL568	3	S	5	A	-	L	6	1	1
EL569	3	S	5	A	-	L	6	1	1
MP564	3	S	5	A	-	L	6	1	1
MP565	3	S	5	A	-	L	6	1	1